

LONDON GROVE TOWNSHIP

PUBLIC WORKS

2024 PAVEMENT CONDITION REPORT & THREE-YEAR PLAN



SHANE KINSEY - DIRECTOR OF PUBLIC WORKS
NATHAN HUGHES – PUBLIC WORKS FOREMAN

LONDON GROVE TOWNSHIP
PUBLIC WORKS
2024 PAVEMENT CONDITION REPORT & 3 YEAR PLAN

INTRODUCTION

London Grove Township Public Works recognized the need to implement means and methods to evaluate the current road conditions, in order to make informed decisions on the maintenance, repair and replacement of the existing road network. Research was conducted to find a system which would provide the needed information in a fiscally responsible manner.

It was decided to utilize a system known as “Pavement Surface Evaluation and Rating” (PASER), which was produced by the University of Wisconsin-Madison, Transportation Information Center, in conjunction with the Federal Highway Administration and the National Local Technical Assistance Program (LTAP). The PASER system is based off of ASTM D6433 “Standard Practice for Roads and Parking Lots Pavement Condition Index Survey”. The PASER system does not provide specific quantitative values for inspection, so it was decided to use the “Pavement Condition Rating System” (PCR) methodology, as published by the Ohio Department of Transportation (ODOT).

It should be noted that this report is not intended to be a project-specific design tool. Its intent is to help identify the location and extent of pavement problems and to plan overall solution strategies.

METHODOLOGY

The roads were evaluated for the presence of multiple distresses, including reveling, bleeding, patching, potholes/debonding, crack sealing deficiency, rutting, settlements, corrugations, wheel track cracking, block and transverse cracking, longitudinal joint cracking, edge cracking, and random cracking. Based on this evaluation a “Pavement Condition Rating” (PCR) was assigned.


The Pavement Condition Rating indicates the overall condition of the segment. The higher the number, the better the condition. The PCR number generally indicates the condition as follows;

9-10	Very Good Condition	Little or no maintenance required
7-8	Good Condition	Routine maintenance, crack sealing and Minor patching recommended.
5-6	Fair Condition	Crack sealing, major patching, and Preventative treatments recommended.
3-4	Poor Condition	Structural improvements, leveling and Overlay, or recycling recommended.
1-2	Failed Roadway	Reconstruction recommended.


EVALUATION

The township’s 62.84 miles of road were evaluated in January thru July of 2024, using a combination of “windshield evaluation” and surface investigation. A total of 185 segments were evaluated, with no new segments being added for this evaluation. One segment of .10 miles, Hipkins Rd, was removed after investigation reviled the segment was not in London Grove Township. Each segment may be a whole road, or a section of a road separated due to length or significant differences in road condition.

2024 EVALUATION



PAVEMENT CONDITIONS (5 Years)



EVALUATION OUTCOME

The 2024 evaluation shows that ongoing maintenance efforts and near adequate budgeting continue to provide an overall acceptable Pavement Condition Rating and for the townships road network, resulting in good road surfaces for motorists.

You will however notice a downward trend in the overall condition ratings, this is a result of the aging of the large number of development roads constructed during the building boom of the late nineties and early two thousands. Consideration should be given in future budgets to increase the paving and surface treatment figures to address these aging roadways.

It is imperative that maintenance programs such as yearly crack sealing and selective patching continue in order to maintain the road surfaces. Additionally, budgeting to allow for resurfacing of the road network in a timely manner needs to be continued.

Considering a surface lifespan of 20 years, inflation and, 62.84 miles of roadway, we recommend a minimum of \$725,000 be budgeted, on a yearly basis, for contract resurfacing and reconstruction. This figure has increased due to increased costs due to the current economic situation in addition to decreased pavement lifespans due to the increased use of recycled materials and poorer oil quality in available asphalt mixes.

3 YEAR PAVING PLAN

Utilizing the information gained from this report, Average Daily Traffic (ADT) for segments, as well as other information and knowledge, we formulate a 3-year paving plan annually. This plan is utilized to allow preparation for future years. However, it should be noted that this planning could change due to a variety of variables, which can significantly affect the condition of a road over a short period. Planning is based on an expenditure of \$725,000.00 in 2025, with a 3% yearly increase.

Budgeted 2024 Projects		
(\$626,000.00)		
• Wickerton (\$411,000.00)	Entire Subdivision	Selective Base Repair, Level, Overlay
○ Stratford Drive, Nottingham Drive, Sheffield Drive, and Worthington Drive.		
• Tice Rd (\$60,000.00)	N. Guernsey Rd to Dead End	Level & Overlay
• Dingee Rd (\$20,000.00)	State Rd to Dead End	Level & Overlay
• Penwyck (\$135,000.00)	Entire Road	Selective Base Repair, Level, Overlay

Perspective 2025 Projects

(\$725,000.00)

- E. Avondale Rd (\$155,000.00) Schoolhouse to Wickerton Base Repair, mill, level, overlay
- Garden Station Rd (\$336,000.00) Roosevelt to Ellicott Selective Base repair, mill, Level & Overlay
- Woodview Rd (\$170,000.00) Bridge to Gap Newport (SR41) Selective Milling, Level & Overlay
- Walter Rd (\$38,000.00) Entire Length Double App Chip Seal
- Mosquito Lane (\$26,000.00) Entire Length Double App Chip Seal

Perspective 2026 Projects

(\$747,000.00)

- Clay Creek Rd (\$320,000.00) Franklin Twp. To E. Avondale Rd Mill, level, overlay
- Heather Grove (\$427,000.00) Entire Subdivision Selective Base Repair, Level, Fabric, Overlay
 - Welcome Ave, Chartwell Rd, Arber Ct, Deer Path Ct, Heather Grove Ln, Newfield Ct, Blossom Ct; and Sunrise Ct.

Perspective 2027 Projects

(\$769,000.00)

- Kent Farm (\$186,000.00) Entire Subdivision Selective Base Repair, Level, Fabric, Overlay
 - Kent Farm Lane, Eaton Way, Flintlock Circle, Marcus Way, Bandon Circle, and Airdale Circle
- Clay Creek Rd (\$185,000.00) Avondale Borough to E. Avondale Rd Selective Base Repair, Mill, Level, Overlay
- Avondale Rd (\$398,000.00) Clay Creek Rd to Schoolhouse Rd Selective Base Repair, Mill, Level, Overlay

Special Consideration Roads

- Hepburn Rd County Bridge to LG Village To be reconstructed under developer agreement for London Grove West project, timing unknown.
- Baker Station Rd Hepburn to dead end To be reconstructed under developer agreement for London Grove West project, timing unknown.
- Village of Chatham Church Alley, Pennock Lane
Strode Rd PennDOT SR41 & SR841 project will effect roadways the full extent of such is unknown.
- Misty Hollow DR SR841 to dead end PennDOT SR1 & SR841 interchange project will effect Roadway, full extent is unknown



LONDON GROVE TOWNSHIP ROAD CONDITION REPORT 2024

LEGEND
CONDITION REPORT
Very Good
Good
Fair
Poor
Not Dedicated
Peridot



0 0.25 0.5 0.75 1 1.25 1.5 1.75 2 mi

7/31/2024 - Babin

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Abby Rd
Date: 5/7/2024
From: State Rd To: Kodi Circle
Segment Length: 1848' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Abby Road
Date: 5/7/2024
From: Kodi Circle To: State Rd
Segment Length: 2152' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Airdale Circle
Date: 5/7/2024
From: Kent Farm Lane To: Cul-de-sac
Segment Length: 286' Average Segment Width: 15' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Angelica Dr
Date: 5/7/2024
From: Clay Creek Rd To: Cul-de-sac
Segment Length: 4358' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Arbor Court
Date: 5/7/2024
From: Welcome Ave To: Cul-de-sac
Segment Length: 153' Average Segment Width: 23' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes: Spidering

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Aringa Way
Date: 5/7/2024
From: Easkey Lane To: Cul-de-sac
Segment Length: 2111' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Cross walk needs re-done

Atherlone Way
Date: 5/7/2024
From: Tusk Rd To: East Avondale Rd
Segment Length: 265' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes: Blvd Entrance Road, Standing Curb

Auburn Rd
Date: 5/7/2024
From: Garden Station Rd To: Franklin twp line
Segment Length: 1574' Average Segment Width: 19' ☒ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Baker Station Rd
Date: 5/7/2024
From: Hepburn Rd To: Rt 1 dead end
Segment Length: 394' Average Segment Width: 15' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Baker Station Road
Date: 5/7/2024
From: Hepburn Rd To: Baltimore Pike
Segment Length: 3750' Average Segment Width: 19' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Bandon Circle
Date: 5/7/2024
From: Kent Farm Lane To: Cul-de-Sac
Segment Length: 135' Average Segment Width: 15' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Bell Lane
Date: 5/7/2024
From: Auburn Rd To: cul-de-sac
Segment Length: 270' Average Segment Width: 23' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Bellemead Circle
Date: 5/7/2024
From: Martin Dr To: Cul-de-sac
Segment Length: 456' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Rolled curb

Belmont Circle
Date: 5/7/2024
From: Angelica Dr To: Angelica Drive
Segment Length: 1270' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Bently Ln
Date: 5/7/2024
From: Schoolhouse Rd To: Schoolhouse Rd
Segment Length: 2454' Average Segment Width: 24' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Blossom Court
Date: 5/7/2024
From: heather Grove Ln To: Cul-de-sac
Segment Length: 276' Average Segment Width: 23' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Bramble Lane
Date: 5/7/2024
From: Schoolhouse Rd To: Bramble Lane
Segment Length: 2652' Average Segment Width: 23' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Breaburn Circle
Date: 5/7/2024
From: Caversham To: Cul-de-sac
Segment Length: 241' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Briarchase Dr
Date: 5/7/2024
From: Rose Hill Rd To: Cul-de-sac
Segment Length: 882' Average Segment Width: 23' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Briarcliff Circle
Date: 5/7/2024
From: Caversham To: Cul-de-sac
Segment Length: 230' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Butternut Lane
Date: 5/7/2024
From: Schoolhouse Rd To: Cul-de-sac
Segment Length: 1422' Average Segment Width: 24' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Buttonwood Dr
Date: 8/1/2024
From: 841 To: cul-de-sac
Segment Length: 950' Average Segment Width: 22' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Buttonwood Place
Date: 5/7/2024
From: Buttonwood Dr To: Cul-de-sac
Segment Length: 137' Average Segment Width: 22' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Cabot Circle
Date: 5/7/2024
From: Stanford Dr To: Cul-de-sac
Segment Length: 212' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Camberwell Dr
Date: 5/7/2024
From: Indian Run Rd To: Indian Run Rd
Segment Length: 1695' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Castlereas Rd

Date:5/7/2024

From:Inniscrone DrTo:Cul-de-sac

Segment Length:1197'Average Segment Width:20'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:Rolled Curb

Caversham Dr

Date:5/7/2024

From:McKean CircleTo:Wickerton Rd

Segment Length:1905'Average Segment Width:19'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:Blvd Enterance

Celia Court

Date:5/7/2024

From:Abby RdTo:Cul-De-Sac

Segment Length:1526'Average Segment Width:20'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:

Chambers Road

Date:5/7/2024

From:E. Avondale RdTo:dead end

Segment Length:815'Average Segment Width:13'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:

Chambers Way

Date:5/7/2024

From:State RdTo:West Grove Borough

Segment Length:299'Average Segment Width:18'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Chartwell
Date: 5/7/2024
From: Welcome Ave To: Welcome Ave
Segment Length: 1192' Average Segment Width: 24' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Rolled curb

Chatham Chase Dr
Date: 5/7/2024
From: E. London Grove Rd To: Hunter Creek Dr
Segment Length: 308' Average Segment Width: 24' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes: BLVD Entrance

Church Alley
Date: 5/7/2024
From: Gap Newport Pike To: Chatham Rd
Segment Length: 802' Average Segment Width: 13' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Church Alley
Date: 5/7/2024
From: Chatham Rd To: Pennock Lane
Segment Length: 692' Average Segment Width: 12' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Clay Creek Rd
Date: 5/7/2024
From: Sullivan Rd To: Garden Station Rd
Segment Length: 3802' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Clay Creek Rd
Date: 5/7/2024
From: Avondale Rd To: Avondale Borough Line
Segment Length: 5068' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Clay Creek Rd
Date: 5/7/2024
From: Garden Station Rd To: Franklin twp line
Segment Length: 860' Average Segment Width: 19' ☒ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Clay Creek Rd
Date: 5/7/2024
From: Sullivan Road To: East Avondale Rd
Segment Length: 2330' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Conrey Trail
Date: 5/7/2024
From: Lamborn Ridge Dr To: Cul-de-sac
Segment Length: 896' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Coote Dr
Date: 5/7/2024
From: Inniscrone Dr To: Inniscrone Dr
Segment Length: 910' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes: Rolled Curb

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Deer Path
Date: 5/7/2024
From: Welcome Ave To: cul-de-sac
Segment Length: 509' Average Segment Width: 23' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Denise Dr
Date: 5/7/2024
From: Abby Rd To: Abby Rd
Segment Length: 1065' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Dingee Rd
Date: 5/7/2024
From: State Rd To: Dead End
Segment Length: 556' Average Segment Width: 14' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 3-4 Poor Condition - Structural Improvements, Leveling, and Overlay, or Recycling recommended
Notes:

Dylan Circle
Date: 5/7/2024
From: Martin Dr To: Cul-de-Sac
Segment Length: 268' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Rolled Curb

Eagle Court
Date: 5/7/2024
From: Whitestone Rd To: Cul-De-sac
Segment Length: 215' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Rolled curb

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Easkey Lane
Date: 5/7/2024
From: Elphin Rd To: Cul-de-sac
Segment Length: 1183' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Roller Curb

East Avondale Rd
Date: 5/7/2024
From: Garden Station Rd To: Schoolhouse Rd
Segment Length: 760' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

East Avondale Rd
Date: 5/7/2024
From: Wickerton Rd To: S. Guernsey Rd
Segment Length: 3715' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

East Avondale Rd
Date: 5/7/2024
From: Rosehill Rd To: Garden Station Rd
Segment Length: 3075' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

East Avondale Rd
Date: 5/7/2024
From: Rosehill Rd To: Clay Creek Rd
Segment Length: 4216' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

East Avondale Rd Date: 5/7/2024

From: Schoolhouse Rd To: Wickerton Rd

Segment Length: 2143' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge

Overall condition: 3-4 Poor Condition - Structural Improvements, Leveling, and Overlay, or Recycling recommended

Notes: Outside tire lane failing. Scheduled for repairs as of 5/23/24

East Hunter Creek Dr Date: 5/7/2024

From: Chatham Chase Dr To: Cul-de-Sac

Segment Length: 808' Average Segment Width: 22' ☐ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes:

East London Grove Rd Date: 5/7/2024

From: Spencer Rd To: Lamborntown Rd

Segment Length: 2200' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

East London Grove Rd Date: 5/7/2024

From: Lamborntown Rd To: Howell Moore Rd

Segment Length: 4750' Average Segment Width: 19' ☒ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes:

East London Grove Rd Date: 1/24/2023

From: Howell Moore Rd To: Coastville Rd

Segment Length: 2807' Average Segment Width: 19' ☒ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Eaton circle
Date: 5/7/2024
From: Kent Farm Lane To: Cul-de-sac
Segment Length: 130' Average Segment Width: 15' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Edna Jane Lane
Date: 5/7/2024
From: Lamborn Ridge Dr To: Cul-de-Sac
Segment Length: 2165' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Ellicott Rd
Date: 5/7/2024
From: Cooper Rd To: Bridge @ New Garden
Segment Length: 1624' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Ellicott Rd
Date: 5/7/2024
From: Garden Station Rd To: Cooper Rd
Segment Length: 999' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Repair patch at bridge

Ellicott Rd
Date: 5/7/2024
From: Star Rd To: Garden Station Rd
Segment Length: 560' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Elphin Rd

Date:5/7/2024

From:State RdTo:Aringa Way

Segment Length:1551'Average Segment Width:19'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:Rolled Curb

Finn Way

Date:5/7/2024

From:Inniscrone DrTo:Cul-de-sac

Segment Length:468'Average Segment Width:19'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:Rolled Curb

Flintlock Circle

Date:5/7/2024

From:Kent Farm LaneTo:Cul-de-sac

Segment Length:239'Average Segment Width:15'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended

Notes:

Franklin Court

Date:5/7/2024

From:Truman LaneTo:Cul-de-Sac

Segment Length:260'Average Segment Width:20'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:

Friendship Lane

Date:5/7/2024

From:Angelica DrTo:Clay Creek Rd

Segment Length:535'Average Segment Width:20'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Garden Station Rd
Date: 5/7/2024
From: Clay Creek Rd To: Roosevelt way
Segment Length: 4111' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 3-4 Poor Condition - Structural Improvements, Leveling, and Overlay, or Recycling recommended
Notes: out side tire lane failing

Garden Station Rd
Date: 5/7/2024
From: Ellicott Rd To: Clay Creek Rd
Segment Length: 1265' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Garden Station Rd
Date: 5/7/2024
From: Roosevelt Way To: East Avondale Rd
Segment Length: 4612' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Glen Iris Court
Date: 5/7/2024
From: Rushford Place To: Cul-de-sac
Segment Length: 202' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Glen Willow Rd
Date: 5/7/2024
From: Woodview Rd To: Gap Newport Pike
Segment Length: 7686' Average Segment Width: 19' ☒ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Bridge Out

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Gouge Blvd Date: 5/7/2024

From: S. Guernsey Rd To: Grace Lane

Segment Length: 615' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes: Blvd entrance

Grace Lane Date: 5/7/2024

From: Gouge Blvd To: cul-de-sac

Segment Length: 422' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

Greenfield Lane Date: 5/7/2024

From: N. Guernsey Rd To: Cul-de-sac

Segment Length: 1173' Average Segment Width: 24' ☐ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes:

Hammersmith Court Date: 5/7/2024

From: Camberwell Dr To: Cul-de-sac

Segment Length: 293' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

Hannum Mill Rd Date: 5/7/2024

From: Coastville Rd To: Dead End

Segment Length: 1480' Average Segment Width: 14' ☐ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Heatherbrook CourtDate:5/7/2024

From:Chamberwell DrTo:Cul-de-sac

Segment Length:320'Average Segment Width:19'☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

Heathergrove LaneDate:5/7/2024

From:Welcome AveTo:State Rd

Segment Length:1446'Average Segment Width:23'☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended

Notes:

Hepburn RdDate:5/7/2024

From:Gap Newport PikeTo:London Grove Village

Segment Length:1418'Average Segment Width:35'☒ Dbl Yellow Ctr☒ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:Traffic Circle. Bboulevard enterance. Note traffic circle 5-6

Hepburn RdDate:5/7/2024

From:London Grove VillageTo:Baker Station Rd

Segment Length:1226'Average Segment Width:20'☒ Dbl Yellow Ctr☒ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

Hilltop RdDate:5/7/2024

From:Garden Station RdTo:Franklin Twp Line

Segment Length:945'Average Segment Width:17'☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Hilton Rd
Date: 8/1/2024
From: Walter Rd To: Penn Township
Segment Length: 1525' Average Segment Width: 17' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Hilton Rd
Date: 5/7/2024
From: N. Guernsey Rd To: Walter Rd
Segment Length: 3170' Average Segment Width: 16' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Bridge reduced to 22 tons

Holland court
Date: 5/7/2024
From: Rushford Place To: Cul-de-sac
Segment Length: 256' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

holly Lane
Date: 5/7/2024
From: Rosehill Rd To: dead end
Segment Length: 750' Average Segment Width: 14' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Howell Moore Rd
Date: 5/7/2024
From: E. London Grove Rd To: Street Rd
Segment Length: 4845' Average Segment Width: 18' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Howell Moore Rd Date: 5/7/2024

From: E. London Grove Rd To: Gap Newport Pike

Segment Length: 3854' Average Segment Width: 17' ☐ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

Indian Run Rd Date: 5/7/2024

From: Clay Creek Rd To: Avondale Borough

Segment Length: 4858 Average Segment Width: 17' ☒ Dbl Yellow Ctr ☒ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes: width and striping vary significantly

Inniscrone Dr Date: 5/7/2024

From: East Avondale Rd To: State Rd

Segment Length: 4198' Average Segment Width: 24' ☒ Dbl Yellow Ctr ☒ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes: Rolled Curb

Jack Reynolds Way Date: 5/7/2024

From: Garden Station Rd To: Cul-de-sac

Segment Length: 1463' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes: Some Standing Curb

Jamison Circle Date: 5/7/2024

From: McKean Circle To: Cul-de-sac

Segment Length: 392' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Jay CrossingDate: 5/7/2024

From: State RdTo: Marthas Way

Segment Length: 442'Average Segment Width: 35'☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes: BLVD Entrance

John Wilson CircleDate: 5/7/2024

From: Marthas WayTo: Marthas Way

Segment Length: 457'Average Segment Width: 15'☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

Joyce CircleDate: 5/7/2024

From: Martin DrTo: Cul-de-sac

Segment Length: 528'Average Segment Width: 20'☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes: Rolled Curb

Kent Farm LaneDate: 5/7/2024

From: N. Guernsey RdTo: Cul-de-sac

Segment Length: 1271'Average Segment Width: 18'☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

Kodi CircleDate: 5/7/2024

From: Abby RdTo: Kodi Circle

Segment Length: 1240'Average Segment Width: 20'☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes: BLVD Entrance

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Lake Rd
Date: 5/7/2024
From: Baltimore Pike To: Baker Station Rd
Segment Length: 393' Average Segment Width: 18' ☒ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Lake Rd
Date: 5/7/2024
From: Baltimore Pike To: Baltimore Pike
Segment Length: 3852' Average Segment Width: 17' ☒ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Lakenheath Court
Date: 5/7/2024
From: Cul-de-sac To: Cul-de-sac
Segment Length: 654' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Lamborn Ridge Dr
Date: 5/7/2024
From: State Rd To: South Guernsey Rd
Segment Length: 1908' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: BLVD Entrance

Lamborntown Rd
Date: 5/7/2024
From: E. London Grove Rd To: Street Rd
Segment Length: 5008' Average Segment Width: 15' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Letchworth Lane

Date:5/7/2024

From:Angelica Dr

To:Angelica Dr

Segment Length:2015'

Average Segment Width:20'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:

liverpool Lane

Date:5/7/2024

From:Camberwell Dr

To:Lakenheath Court

Segment Length:200'

Average Segment Width:19'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

lloyd Rd

Date:5/7/2024

From:N. Guernsey Rd

To:Chatham Rd

Segment Length:5093'

Average Segment Width:18'

☒ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

London Way

Date:5/7/2024

From:Gap Newport Pike

To:cul-de-sac

Segment Length:830'

Average Segment Width:24'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

Marcus Way

Date:5/7/2024

From:Kent Farm Lane

To:Cul-de-sac

Segment Length:294'

Average Segment Width:15'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended

Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Marthas Way

Date:5/7/2024

From:cul-de-sacTo:South Guernsey Rd

Segment Length:2305'Average Segment Width:20'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:Island Enterance off S.Guernsey Rd

Martin Dr

Date:5/7/2024

From:Avondale RdTo:Bellemead Circle

Segment Length:3003'Average Segment Width:20'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:Rolled Curb

Mary Ann Court

Date:5/7/2024

From:Lamborn Ridge DrTo:Lamborn Ridge Dr

Segment Length:385'Average Segment Width:20'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:

McCue Rd

Date:5/7/2024

From:New Garden TownshipTo:Spencer Rd

Segment Length:3513'Average Segment Width:19'

☒ Dbl Yellow Ctr☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

McKean Circle

Date:5/7/2024

From:Schoolhouse RdTo:Caversham Dr

Segment Length:715'Average Segment Width:19'

☐ Dbl Yellow Ctr☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Meadow Woods Lane
Date: 5/7/2024
From: State Rd To: Cul-de-sac
Segment Length: 838' Average Segment Width: 23' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Meetinghouse Rd
Date: 5/7/2024
From: West Grove Boro To: Dead End
Segment Length: 471' Average Segment Width: 14' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Misty Hallow Rd
Date: 5/7/2024
From: Chatham Rd To: dead end
Segment Length: 506' Average Segment Width: 15' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Moorings Rd
Date: 5/7/2024
From: Radance Lane To: cul-de-sac
Segment Length: 532' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Mosquito Lane
Date: 5/7/2024
From: Street Rd To: Gap Newport Pike
Segment Length: 3524' Average Segment Width: 14' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Nathan Place
Date: 5/7/2024
From: Marthas Way To: Marthas Way
Segment Length: 426' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Nelson Rd
Date: 5/7/2024
From: Gouge Blvd To: cul-de-sac
Segment Length: 623' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

New Covenant Court
Date: 5/7/2024
From: Indian Run Rd To: Cul-de-sac
Segment Length: 668' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Newfield Court
Date: 5/7/2024
From: Heather Grove In To: Cul-de-sac
Segment Length: 254' Average Segment Width: 23' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Newton Circle
Date: 5/7/2024
From: Stanford Dr To: Cul-de-sac
Segment Length: 744' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Nottingham Dr
Date: 5/7/2024
From: Worthington Dr To: cul-de-sac
Segment Length: 1697' Average Segment Width: 24' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Nova Lane
Date: 5/7/2024
From: N. Guernsey Rd To: cul-de-Sac
Segment Length: 876' Average Segment Width: 22' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Oak Ln
Date: 5/7/2024
From: Butternut Ln To: Schoolhouse Rd
Segment Length: 1163' Average Segment Width: 24' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Paddock Way
Date: 5/7/2024
From: Radance Lane To: cul-de-Sac
Segment Length: 327' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Par Court
Date: 5/7/2024
From: Whitestone Rd To: Cul-de-Sac
Segment Length: 243' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Rolled Curb

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Paschall Mill Rd
Date: 5/7/2024
From: Baltimore Pike To: Penn Township
Segment Length: 3431' Average Segment Width: 19' ☒ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Pennford Circle
Date: 5/7/2024
From: Caversham To: Cul-de-Sac
Segment Length: 211' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Pennock Rd
Date: 5/7/2024
From: Chatham Rd To: Gap Newport Pike
Segment Length: 607' Average Segment Width: 15' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Penwyck Lane
Date: 5/7/2024
From: Gap Newport Pike To: Cul-de-Sac
Segment Length: 1297' Average Segment Width: 23' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 3-4 Poor Condition - Structural Improvements, Leveling, and Overlay, or Recycling recommended
Notes:

Prange Rd
Date: 5/7/2024
From: Chatham Rd To: cul-de-sac
Segment Length: 1980' Average Segment Width: 15' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Radence Lane

Date:5/7/2024

From:W. Avondale RdTo:Paddock Way

Segment Length:806'Average Segment Width:35'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:Blvd entrance

Raymond Ave

Date:5/7/2024

From:Lake RdTo:Dead End

Segment Length:934'Average Segment Width:18'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:3-4 Poor Condition - Structural Improvements, Leveling, and Overlay, or Recycling recommended

Notes:

Remington Way

Date:5/7/2024

From:Schoolhouse RdTo:Remington Way

Segment Length:3417'Average Segment Width:20'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:BLVD Entrance

Roosevelt Way

Date:5/7/2024

From:Garden Station RdTo:Sullivan Chase Dr

Segment Length:257'Average Segment Width:20'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:

Roscoman Way

Date:5/7/2024

From:Castlerea RdTo:Inniscrone Dr

Segment Length:472'Average Segment Width:20'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:Rolled Curb

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Roseann Lane
Date: 5/7/2024
From: Chatham Rd To: Cul-de-sac
Segment Length: 1522' Average Segment Width: 22' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes: First 300' 9-10

Rosehill Rd
Date: 5/7/2024
From: State Rd To: West Grove Borough
Segment Length: 2717' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Rosehill Rd
Date: 5/7/2024
From: East Avondale Rd To: State Rd
Segment Length: 5101' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Rouse Dr
Date: 5/7/2024
From: Whitestone Dr To: Dead End
Segment Length: 65' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Rolled Curb

Rouse Dr
Date: 5/7/2024
From: Westview Dr To: Whitestone Dr
Segment Length: 636' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Rolled Curb

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Rushford Place

Date:5/7/2024

From:Angellica Dr

To:Cul-de-sac

Segment Length:1833'

Average Segment Width:20'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:

Sage Circle

Date:5/7/2024

From:Schoolhouse Rd

To:Cul-de-sac

Segment Length:903'

Average Segment Width:19'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

Salem Way

Date:5/7/2024

From:Rose Hill Rd

To:Circle

Segment Length:669'

Average Segment Width:24'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:

Schoolhouse Rd

Date:5/7/2024

From:East Avondale Rd

To:State Rd

Segment Length:6330'

Average Segment Width:20'

☒ Dbl Yellow Ctr

☒ Wht Edge

Overall condition:9-10 Very Good Condition - Little or no maintenance required

Notes:

Schoolhouse Rd

Date:5/7/2024

From:East Avondale Rd

To:Franklin twp

Segment Length:1974'

Average Segment Width:20'

☒ Dbl Yellow Ctr

☒ Wht Edge

Overall condition:7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Sheffield Dr
Date: 5/7/2024
From: Nottingham Dr To: Cul-de-sac
Segment Length: 1011' Average Segment Width: 24' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Slingo Rd
Date: 5/7/2024
From: Elphin Rd To: Inniscrone Dr
Segment Length: 1701' Average Segment Width: 19' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Rolled Curb

South Guernsey Rd
Date: 5/7/2024
From: W. Avondale Rd To: Franklin township
Segment Length: 3620' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

South Guernsey Rd
Date: 5/7/2024
From: State Rd To: W. Avondale Rd
Segment Length: 4389' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

South Guernsey Rd
Date: 5/7/2024
From: State Rd To: Baltimore Pike
Segment Length: 3398' Average Segment Width: 19' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes: Road Split with West Grove Borough

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Spencer RdDate: 5/7/2024

From: McCue RdTo: West Marlboro Township

Segment Length: 1603'Average Segment Width: 18'☒ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes:

Standford RdDate: 5/7/2024

From: Wickerton RdTo: Caversham Dr

Segment Length: 1731'Average Segment Width: 19'☐ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes: BLVD Entrance

State RdDate: 5/7/2024

From: Wickerton RdTo: S. Guernsey Rd

Segment Length: 2708'Average Segment Width: 20'☒ Dbl Yellow Ctr ☒ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

State RdDate: 5/7/2024

From: S. Guernsey RdTo: Penn Township

Segment Length: 3298'Average Segment Width: 20'☒ Dbl Yellow Ctr ☒ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes:

State RdDate: 5/7/2024

From: Schoolhouse RdTo: Wickerton Rd

Segment Length: 2486'Average Segment Width: 20'☒ Dbl Yellow Ctr ☒ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes:

ROAD SURVEY

Notes:

Notes:

Notes:

Notes:

Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Sullivan Chase Dr

Date:5/7/2024

From: Sullivan Chase Dr

To: Garden Station Rd

Segment Length: 4525'

Average Segment Width: 20'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes:

Sullivan Rd

Date:5/7/2024

From: Garden Station Rd

To: Clay Creek Rd

Segment Length: 3840'

Average Segment Width: 20'

☒ Dbl Yellow Ctr

☐ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes:

Sunrise Court

Date:5/7/2024

From: Heather Grove ln

To: Cul-de-sac

Segment Length: 341'

Average Segment Width: 23'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended

Notes:

Tice Rd

Date:5/7/2024

From: N. Guernsey Rd

To: Dead End

Segment Length: 1650'

Average Segment Width: 14'

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition: 3-4 Poor Condition - Structural Improvements, Leveling, and Overlay, or Recycling recommended

Notes:

Truman Lane

Date:5/7/2024

From: Sullivan Chase Dr

To: Roosevelt Way

Segment Length: 1093

Average Segment Width: 20

☐ Dbl Yellow Ctr

☐ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Tulsk Rd
Date: 5/7/2024
From: Athelone Way To: Cul-de-sac
Segment Length: 519' Average Segment Width: 24' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Rolled curb, some standing curb

Valley Rd
Date: 5/7/2024
From: S. Guernsey Rd To: Penn Township
Segment Length: 3945' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Vincent Place
Date: 5/7/2024
From: Auburn Rd To: Jack Reynolds Way
Segment Length: 310' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes: Standing curb

Walter Rd
Date: 5/7/2024
From: Hilton Rd To: Gap Newport Pike
Segment Length: 4668' Average Segment Width: 16' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

Welcome Ave
Date: 5/7/2024
From: Heathergrove Ln To: West Grove Boro
Segment Length: 1105' Average Segment Width: 23' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Welcome Ave
Date: 5/7/2024
From: Rosehill Rd To: Chartwell
Segment Length: 322' Average Segment Width: 33' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Welcome Ave
Date: 5/7/2024
From: Chartwell To: heather Grove In
Segment Length: 1753' Average Segment Width: 23' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended
Notes:

Wellsville Lane
Date: 5/7/2024
From: Rushford Place To: Letchworth Lane
Segment Length: 572' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

West Avondale Rd
Date: 5/7/2024
From: S. Guernsey Rd To: Hipkins Rd
Segment Length: 2572' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes:

West Hunter Creek Dr
Date: 5/7/2024
From: Chatham Chase Dr To: Cul-de-sac
Segment Length: 896' Average Segment Width: 22' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

West london Grove Rd
Date: 5/7/2024
From: N. Guernsey Rd To: Chatham rd
Segment Length: 4779' Average Segment Width: 18' ☒ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

West Woodview Rd
Date: 5/7/2024
From: Ewing Rd To: Penn Township
Segment Length: 1074' Average Segment Width: 20' ☒ Dbl Yellow Ctr ☒ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

Westview Dr
Date: 5/7/2024
From: Martin Dr To: Martin Dr
Segment Length: 1577' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Rolled Curb

Whitestone Dr
Date: 5/7/2024
From: Martin Dr To: Garden Station Rd
Segment Length: 1630' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed
Notes: Rolled Curb

Wiscoy Place
Date: 5/7/2024
From: Friendship Dr To: Cul-de-sac
Segment Length: 544' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge
Overall condition: 9-10 Very Good Condition - Little or no maintenance required
Notes:

LONDON GROVE TOWNSHIP
DEPARTMENT OF PUBLIC WORKS

ROAD SURVEY

Woodview Rd Date: 5/7/2024

From: Gap Newport Pike To: Chatham Rd

Segment Length: 4981' Average Segment Width: 19' ☒ Dbl Yellow Ctr ☒ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes: Road close bridge out. White edge line first 240' from RT41

Woodview Rd Date: 5/7/2024

From: N. Guernsey Rd To: Chatham Rd

Segment Length: 5192' Average Segment Width: 18' ☒ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:

Woodview Rd Date: 5/7/2024

From: McCue Rd To: Gap Newport Pike

Segment Length: 6687' Average Segment Width: 19' ☒ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 9-10 Very Good Condition - Little or no maintenance required

Notes: White edge line 1st 240' from RT41 - Bridge 24 ton restriction

Worthington Dr Date: 5/7/2024

From: State Rd To: Cul-de-Sac

Segment Length: 2258' Average Segment Width: 24' ☐ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 5-6 Fair Condition - Crack Sealing, Major Patching, and Preservative treatments recommended

Notes:

Wreath Rd Date: 5/7/2024

From: Radance Lane To: cul-de-sac


Segment Length: 702' Average Segment Width: 20' ☐ Dbl Yellow Ctr ☐ Wht Edge

Overall condition: 7-8 Good Condition - Routine maintenance, crack Sealing and Minor Patching Needed

Notes:



LONDON GROVE TOWNSHIP ROAD CONDITION REPORT 2024



LEGEND
CONDITION REPORT
— Very Good
— Good
— Fair
— Poor
- - - Not Dedicated
== PennDOT

